



AIWIN COLD MASTIC

MASTIC SEALER



Description:

AIWIN COLD MASTIC is applied rubberized joint sealer widely used in sealing horizontal and vertical joints in highways, airfields, sea port, concrete pavements and in general construction concrete joints

AIWIN COLD MASTIC will not tracked in the summer heat and will provide excellent adhesion and resilience mastic

Provide a good adhesive for fixing and bonding PP protection boards over bitumen Membrane

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARDS	VALUES
DENSITY , 25 °C Kg/L	ASTM D70	1.1 -1.2
CONE PENETRATION , 25 °C dmm	ASTM D1911	230 - 270
DRYING TIME , hr	ASTM D1640/D1640M	12 - 24
HEAT RESISTANCE, 60 °C	ASTM D4586	No sagging
ADHESION TO DRY /WET SURFACE	ASTM D1911	Excellent
VOC	ASTM D-3111	< ppm 50
SERVICE TEMP .° C		-10 to 85
Packaging		liter drum ,200 liter drum 20
Storage		Store in dry conditions
Chemical Resistance		Dilute Acids - Good Dilute inorganic alkalis - Good Petroleum solvant - softness Oils + Greases - Softness

Application:

Joints should be cleaned with dry compressed air ensure joints are dry and free from dust latency and traces of joints filler board where old joints are being released. Remove old material

Usage:

Spoiled joints should be made good in an approved manner. Joints should be sealed to a level of 34mm below surface

Standard:

A joints opening of 1 cm wide by 3 cm deep required approximately 0.5 kg/LM

AIWIN COLD MASTIC comply with the requirements of ASTM D 4586

This technical data complement to ASTM and EN standards

This product data sheet supersedes all previous data publication pertaining to this product

All values given refer to standard production within the usual factory tolerance

Aiwin reserve the right to change said values without advance notice but without affecting the quality of the product

Reissued in 2020

Made in Jordan



AIWIN
Arab Italian Waterproofing & Insulation Industries Co. W.L.L

الشركة العربية الإيطالية
لصناعة المواد العازلة

Showroom

Tel: +962 (6) 5332145

Fax: +962 (6) 5332146

P.O.Box 960525 Amman 11196 Jordan

E-mail: info@aiwin-jo.com

www.aiwin-jo.com